

Indiana State Police Methamphetamine Laboratory Occurrence Report

This form complies with the statutory requirement set forth in IC 5-2-15-3.

Date: 12/04/08

Address: 4402 E. SR 18

Case #: 16-18559

Amboy, IN. 46911

County: Miami

—

Type of Laboratory Seizure (check one)

- ☐ Operational Lab
☒ Chemical/Glassware/Equipment (only)
☐ Dumpsite (only)

Seizure Location (check all that apply)

- ☒ Residence
☒ Outbuilding
☐ Vehicle
☐ Hotel/Motel
☐ Open – No Structure
☐ Other: _____

Items Found: Location (bedroom, kitchen, open air, etc)

(check all that apply)

- ☒ Lithium/Ammonia Reaction(s): (spent reaction) - garage
☐ Red Phosphorous/Iodine Reaction(s): _____
☒ Flammable Solvents: Kitchen
☒ Water Reactive Metal (Lithium): Kitchen
☒ Anhydrous Ammonia: Garage
☒ Hydrochloric Acid Gas Generator(s): Back Porch
☒ Corrosive Acid: Bathroom
☐ Corrosive Base: _____
☐ Other (item and location): _____

Child under age 18 discovered (check one)

- ☐ Yes 0 (number present)
☐ No

*If yes, fax report to Child Protective Services

Investigative Information

- ☐ Ephedrine/Pseudoephedrine Tracking Log
☐ Retail/Merchant Tip
☒ Other: _____

This report is to be faxed to the following agencies that serve the location:

Fire Department: Amboy F.D.

Fax: (765) 395-7798

Health Department: Miami County

Fax: (765) 473-0285

Child Protection Service: N/A

Fax: N/A

For further information regarding this methamphetamine laboratory, contact

Investigating Officer: R.A. Burgess

Phone 765-473-6666

** This form is to be faxed to the Fire Department, Health Department and/or Child Protective Services Department listed within 24 hours of scene processing.